

L Number	Hits	Search text	EB	Time stamp
1	1	5,996,082.pn.	USPAT; EPO; JPO	2004/03/05 15:12
-	1546	345/173.ccls.	USPAT; EPO; JPO	2004/03/03 11:05
-	698	345/173.ccls. and configur\$9	USPAT; EPO; JPO	2004/03/03 16:06
-	330	345/173.ccls. and configur\$9 and input adj device	USPAT; EPO; JPO	2004/03/03 11:06
-	34	345/173.ccls. and configur\$9 and industrial and input adj device	USPAT; EPO; JPO	2004/03/03 11:10
-	34	345/173.ccls. and configur\$9 and industrial and input adj device and use\$9	USPAT; EPO; JPO	2004/03/03 11:07
-	22	345/173.ccls. and configur\$9 and industrial and input adj device and use\$9 and electric\$6	USPAT; EPO; JPO	2004/03/03 11:07
-	18	345/173.ccls. and configur\$9 and industrial and input adj device and use\$9 and electric\$6 and conduct\$9	USPAT; EPO; JPO	2004/03/03 11:08
-	2	345/173.ccls. and configur\$9 and industrial and input adj device and use\$9 and electric\$6 and conduct\$9 and elastomer	USPAT; EPO; JPO	2004/03/03 11:08
-	2	345/173.ccls. and configur\$9 and industrial and input adj device and elastomer	USPAT; EPO; JPO	2004/03/03 11:48
-	0	345/173.ccls. and configur\$9 and industrial and input adj device and elastomer and button\$1 and tactile adj sensor	USPAT; EPO; JPO	2004/03/03 11:49
-	0	345/173.ccls. and configur\$9 and industrial and input adj device and elastomer and button\$1 and tactile adj sensor\$1	USPAT; EPO; JPO	2004/03/03 11:49
-	0	configur\$9 and industrial and input adj device and elastomer and button\$1 and tactile adj sensor\$1	USPAT; EPO; JPO	2004/03/03 11:50
-	2258	configur\$9 and industrial and input adj device	USPAT; EPO; JPO	2004/03/03 11:50
-	48	configur\$9 and industrial and input adj device and elastomer and button\$1	USPAT; EPO; JPO	2004/03/04 14:32
-	0	configur\$9 and industrial and input adj device and elastomer and button\$1 and tactile	USPAT; EPO; JPO	2004/03/03 11:51
-	24	input adj device and elastomer and button\$1 and tactile	USPAT; EPO; JPO	2004/03/03 12:25
-	1	input adj device and elastomer and button\$1 and tactile adj sensor	USPAT; EPO; JPO	2004/03/03 11:51
-	1	input adj device and elastomer and button\$1 and tactile adj sensor\$1	USPAT; EPO; JPO	2004/03/03 11:51
-	1	input adj device and elastomer and button\$1 and tactile adj sensor\$1 and configur\$9	USPAT; EPO; JPO	2004/03/03 11:51
-	0	input adj device and elastomer and button\$1 and tactile adj sensor\$1 and configur\$9 and industrial	USPAT; EPO; JPO	2004/03/03 11:51
-	683081	input adj device and elastomer and button\$1 and tactile adj sensor\$1 and configur\$9 electronic	USPAT; EPO; JPO	2004/03/03 11:52
-	1	input adj device and elastomer and button\$1 and tactile adj sensor\$1 and configur\$9 and electronic	USPAT; EPO; JPO	2004/03/03 11:52
-	1	input adj device and elastomer and button\$1 and tactile adj sensor\$1 and configur\$9 and electronic and function\$1	USPAT; EPO; JPO	2004/03/03 11:53
-	1	input adj device and elastomer and button\$1 and tactile adj sensor\$1 and configur\$9 and electronic and function\$1 and measure	USPAT; EPO; JPO	2004/03/03 11:53

-	1	input adj device and elastomer and button\$1 and tactile adj sensor\$1 and configur\$9 and electronic and function\$1 and measure and locat\$6	USPAT; EPO; JPO	2004/03/03 11:53
-	1	input adj device and elastomer and button\$1 and tactile adj sensor\$1 and configur\$9 and electronic and function\$1 and measure and locat\$6 and pressure	USPAT; EPO; JPO	2004/03/03 11:55
-	1	input adj device and elastomer and button\$1 and tactile adj sensor\$1 and configur\$9 and electronic and function\$1 and measure and locat\$6 and pressure and shape	USPAT; EPO; JPO	2004/03/03 11:55
-	0	input adj device and elastomer and button\$1 and tactile adj sensor\$1 and configur\$9 and electronic and function\$1 and measure and locat\$6 and pressure and shape and spatial	USPAT; EPO; JPO	2004/03/03 11:55
-	1	input adj device and elastomer and button\$1 and tactile adj sensor\$1 and configur\$9 and electronic and function\$1 and measure and locat\$6 and pressure and shape and size	USPAT; EPO; JPO	2004/03/03 11:55
-	1	input adj device and elastomer and button\$1 and tactile adj sensor\$1 and configur\$9 and electronic and function\$1 and measure and locat\$6 and pressure and shape and size and use\$9	USPAT; EPO; JPO	2004/03/03 11:56
-	2	input adj device and elastomer and button\$1 and tactile and spatial	USPAT; EPO; JPO	2004/03/03 12:31
-	1	input adj device and elastomer and button\$1 and tactile and spatial and foam	USPAT; EPO; JPO	2004/03/03 12:31
-	1	input adj device and elastomer and button\$1 and tactile and spatial and foam and relation\$6	USPAT; EPO; JPO	2004/03/03 13:01
-	1	input adj device and elastomer and button\$1 and tactile and sensor and spatial and foam and relation\$6	USPAT; EPO; JPO	2004/03/03 13:19
-	0	input adj device and elastomer and button\$1 and tactile and sensor and spatial adj relation\$6 and foam	USPAT; EPO; JPO	2004/03/03 13:19
-	0	input adj device and tactile adj sensor and spatial adj relation\$6 adj button\$1	USPAT; EPO; JPO	2004/03/03 13:20
-	0	input adj device and spatial adj relation\$6 adj button\$1	USPAT; EPO; JPO	2004/03/03 13:21
-	1	button\$1 adj spatial adj relation\$6	USPAT; EPO; JPO	2004/03/03 13:24
-	2	345/173.ccls. and configur\$9 and industrial and input adj device and elastomer and button\$1	USPAT; EPO; JPO	2004/03/03 16:35
-	2	345/173.ccls. and configur\$9 and industrial and input adj device and elastomer and button\$1 and size	USPAT; EPO; JPO	2004/03/03 15:30
-	2	345/173.ccls. and configur\$9 and industrial and input adj device and elastomer and button\$1 and size and shape	USPAT; EPO; JPO	2004/03/03 15:31
-	2	345/173.ccls. and configur\$9 and industrial and input adj device and elastomer and (button\$1 and size and shape and function\$1)	USPAT; EPO; JPO	2004/03/03 15:33
-	2	345/173.ccls. and configur\$9 and industrial and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location)	USPAT; EPO; JPO	2004/03/03 15:33
-	2	345/173.ccls. and configur\$9 and industrial and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1)	USPAT; EPO; JPO	2004/03/03 15:33

-	0	345/173.ccls. and configur\$9 and industrial and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1 and spatial)	USPAT; EPO; JPO	2004/03/03 15:34
-	1	345/173.ccls. and configur\$9 and industrial and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1 and relation)	USPAT; EPO; JPO	2004/03/03 15:34
-	0	345/173.ccls. and configur\$9 and industrial and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1 and relation and orientation)	USPAT; EPO; JPO	2004/03/03 15:35
-	0	345/173.ccls. and configur\$9 and industrial and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1 and orientation)	USPAT; EPO; JPO	2004/03/03 15:35
-	2	345/173.ccls. and configur\$9 and industrial and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1) and computer	USPAT; EPO; JPO	2004/03/04 14:33
-	1	345/173.ccls. and configur\$9 and industrial and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1) and computer and readable	USPAT; EPO; JPO	2004/03/03 15:36
-	0	345/173.ccls. and configur\$9 and industrial and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1) and computer and readable and medium	USPAT; EPO; JPO	2004/03/03 15:36
-	1	345/173.ccls. and configur\$9 and industrial and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1) and computer and readable and storage	USPAT; EPO; JPO	2004/03/03 15:36
-	0	345/173.ccls. and configur\$9 and industrial and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1) and computer and storage and codes	USPAT; EPO; JPO	2004/03/03 15:37
-	1	345/173.ccls. and configur\$9 and industrial and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1) and computer and storage and sensor	USPAT; EPO; JPO	2004/03/03 15:38
-	0	345/173.ccls. and configur\$9 and industrial and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1) and computer and storage and sensor and tactile	USPAT; EPO; JPO	2004/03/03 15:37
-	1	345/173.ccls. and configur\$9 and industrial and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1) and computer and storage and sensor and readable	USPAT; EPO; JPO	2004/03/03 15:38
-	1	345/173.ccls. and configur\$9 and industrial and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1) and computer and storage and sensor	USPAT; EPO; JPO	2004/03/03 15:38

-	1	345/173.ccls. and configur\$9 and industrial and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1 and relation) and computer and storage and sensor and readable	USPAT; EPO; JPO	2004/03/03 15:38
-	2	345/173.ccls. and configur\$9 and industrial and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1) and computer and storage	USPAT; EPO; JPO	2004/03/03 15:46
-	0	configur\$9 and industrial and input adj device and elastomer and button\$1 and tactile adj sensor\$1 and configur\$9 and electronic and function\$1 and measure and locat\$6 and pressure and shape and size and use\$9	USPAT; EPO; JPO	2004/03/03 15:49
-	1	configur\$9 and input adj device and elastomer and button\$1 and tactile adj sensor\$1 and configur\$9 and electronic and function\$1 and measure and locat\$6 and pressure and shape and size and use\$9	USPAT; EPO; JPO	2004/03/03 16:33
-	61	345/173.ccls. and control adj panel and configur\$9	USPAT; EPO; JPO	2004/03/03 16:06
-	0	345/173.ccls. and control adj panel and configur\$9 and industrial and input adj device and elastomer	USPAT; EPO; JPO	2004/03/03 16:06
-	6	345/173.ccls. and control adj panel and configur\$9 and input adj device and elastomer	USPAT; EPO; JPO	2004/03/03 16:07
-	6	345/173.ccls. and control adj panel and configur\$9 and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1) and computer and storage	USPAT; EPO; JPO	2004/03/03 16:37
-	0	control adj panel and configur\$9 and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1) and computer and storage and tactile adj sensor	USPAT; EPO; JPO	2004/03/03 16:11
-	0	control adj panel and tactile adj sensor and configur\$9 and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1)	USPAT; EPO; JPO	2004/03/03 16:13
-	0	control adj panel and tactile adj sensor and configur\$9 and input adj device and (button\$1 and size and shape and function\$1 and location\$1)	USPAT; EPO; JPO	2004/03/03 16:13
-	0	control adj panel and tactile adj sensor and configur\$9 and (button\$1 and size and shape and function\$1 and location\$1)	USPAT; EPO; JPO	2004/03/03 16:13
-	2	control adj panel and tactile adj sensor	USPAT; EPO; JPO	2004/03/03 16:32
-	1	control adj panel and tactile adj sensor and button\$1	USPAT; EPO; JPO	2004/03/03 16:32
-	1	configur\$9 and input adj device and elastomer and button\$1 and tactile adj sensor\$1 and configur\$9 and electronic and function\$1 and measure and locat\$6 and pressure and shape and size and use\$9 and control	USPAT; EPO; JPO	2004/03/03 16:33
-	0	configur\$9 and input adj device and elastomer and button\$1 and tactile adj sensor\$1 and configur\$9 and electronic and function\$1 and measure and locat\$6 and pressure and shape and size and use\$9 and control and panel	USPAT; EPO; JPO	2004/03/03 16:33

-	1	configur\$9 and input adj device and elastomer and button\$1 and tactile adj sensor\$1 and configur\$9 and electronic and function\$1 and measure and locat\$6 and pressure and shape and size and use\$9 and control and circuit	USPAT; EPO; JPO	2004/03/03 16:34
-	0	345/173.ccls. and configur\$9 and industrial and input adj device and elastomer and button\$1 and control adj panel	USPAT; EPO; JPO	2004/03/03 16:36
-	0	345/173.ccls. and configur\$9 and industrial and input adj device and button\$1 and control adj panel	USPAT; EPO; JPO	2004/03/03 16:36
-	0	345/173.ccls. and control adj panel and configur\$9 and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1) and computer and storage and codes	USPAT; EPO; JPO	2004/03/03 16:37
-	6	345/173.ccls. and control adj panel and configur\$9 and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1) and computer and storage	USPAT; EPO; JPO	2004/03/03 16:38
-	4	345/173.ccls. and control adj panel and configur\$9 and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1) and computer and storage and software	USPAT; EPO; JPO	2004/03/03 16:38
-	4	345/173.ccls. and control adj panel and configur\$9 and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1) and computer and storage and software and electronic and measure and locat\$6 and pressure and use\$9 and control	USPAT; EPO; JPO	2004/03/03 16:40
-	0	345/173.ccls. and control adj panel and configur\$9 and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1) and computer and storage and software and electronic and measure and locat\$6 and pressure and use\$9 and control and tactile adj sensor\$1	USPAT; EPO; JPO	2004/03/03 16:40
-	4	345/173.ccls. and control adj panel and configur\$9 and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1) and computer and storage and software and electronic and measure and locat\$6 and pressure and use\$9 and control	USPAT; EPO; JPO	2004/03/03 16:40
-	18	control adj panel and configur\$9 and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1) and computer and storage	USPAT; EPO; JPO	2004/03/04 07:52
-	0	control adj panel and touch adj panel and configur\$9 and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1) and computer and storage	USPAT; EPO; JPO	2004/03/04 07:52
-	41	control adj panel and touch adj panel and configur\$9 and input adj device and computer and storage	USPAT; EPO; JPO	2004/03/04 07:53
-	0	control adj panel and touch adj panel and configur\$9 and input adj device and computer and storage and elastomer	USPAT; EPO; JPO	2004/03/04 07:53

-	12	control adj panel and touch adj panel and configur\$9 and input adj device and computer and storage and (button\$1 and size and shape and function\$1 and location\$1)	USPAT; EPO; JPO	2004/03/04 07:53
-	0	control adj panel and touch adj panel and tactile adj sensor\$1 and input adj device and computer and storage and (button\$1 and size and shape and function\$1 and location\$1)	USPAT; EPO; JPO	2004/03/04 07:53
-	1	control adj panel and touch adj panel and tactile and sensor\$1 and input adj device and computer and storage and (button\$1 and size and shape and function\$1 and location\$1)	USPAT; EPO; JPO	2004/03/04 07:56
-	1	control adj panel and touch adj panel and tactile and sensor\$1 and input adj device and computer and storage	USPAT; EPO; JPO	2004/03/04 07:56
-	45	control adj panel and tactile and sensor\$1 and input adj device and computer and storage	USPAT; EPO; JPO	2004/03/04 07:56
-	835	tactile adj sensor\$1	USPAT; EPO; JPO	2004/03/04 08:13
-	1	tactile adj sensor\$1 with control adj panel	USPAT; EPO; JPO	2004/03/04 08:13
-	1	button\$1 adj spatial adj relation\$6	USPAT; EPO; JPO	2004/03/04 14:24
-	11	reconfigur\$9 and industrial and input adj device and elastomer and button\$1	USPAT; EPO; JPO	2004/03/04 14:32
-	0	345/173.ccls. and reconfigur\$9 and industrial and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1) and computer	USPAT; EPO; JPO	2004/03/04 14:33
-	51	345/173.ccls. and reconfigur\$9	USPAT; EPO; JPO	2004/03/04 14:34
-	0	345/173.ccls. and reconfigur\$9 and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1) and computer	USPAT; EPO; JPO	2004/03/04 14:34
-	12	input adj device and reconfigur\$9 and elastomer and (button\$1 and size and shape and function\$1 and location\$1) and computer	USPAT; EPO; JPO	2004/03/04 14:34